

FORM 1449\*

## INFORMATION DISCLOSURE STATEMENT

IN AN APPLICATION

(Use several sheets if necessary)

Docket Number:

11669.26US03

Application Number:

09/195,368

Applicant: ASHKENAZI ET AL.

Filing Date: 11/18/1998

Group Art Unit: 1643

## U.S. PATENT DOCUMENTS

EXAMINER INITIAL	DOCUMENT NO.	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE

## FOREIGN PATENT DOCUMENTS

	DOCUMENT NO.	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION	
						YES	NO
SM	307,247	3/15/89	EP				
	417,563	3/20/91	EP				
	WO 97/01633	1/16/97	PCT				
	WO 98/06842	2/19/98	PCT				
	WO 98/07880	2/26/98	PCT				

## OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

SM	*	Baculovirus Expression Vectors: A Laboratory Manual, O'Reilley et al., Oxford, Oxford University Press, (1994).
	*	Molecular Cloning: A Laboratory Manual, Sambrook et al., New York, Cold Spring Harbor Laboratory Press, (1989).
	*	Monoclonal Antibodies: Principles and Practice, Goding, Academic Press, (1986), pp. 59-103.
		Aggarwal, B.B. et al., "Tumor Necrosis Factors: Development During the Last Decade", <i>Eur. Cytokine Netw.</i> , 7(2):93-124 (April 1996-June 1996).
		Amakawa et al., "The Hodgkin Disease Antigen CD30 is Crucial for Antigen Induced Death of Developing T Cells", Cold Spring Harbor Laboratory Symposium on Programmed Cell Death, Abstr. No. 10 (1995).
		Armitage, R.J. et al., "Molecular and Biological Characterization of a Murine Ligand for CD40", <i>Nature</i> , 357(6373):80-82 (May 7, 1992).
		Ashkenazi, A. et al., "Protection against endotoxic shock by a tumor necrosis factor receptor immunoadhesin", <i>Proc. Natl. Acad. Sci. U S A</i> , 88(23):10535-10539 (December 1, 1991).
		Baeuerle, P.A. et al., "Function and activation of NF-kappa B in the immune system", <i>Annu. Rev. Immunol.</i> , 12:141-179 (1994).
		Baldwin A.S., Jr., "The NF-kappa B and I kappa B Proteins: New Discoveries and Insights", <i>Annu. Rev. Immunol.</i> , 14:649-683 (1996).
		Banner, D.W. et al., "Crystal Structure of the Soluble Human 55 kd TNF Receptor-Human TNF Beta Complex: Implications for TNF Receptor Activation", <i>Cell</i> , 73(3):431-445 (May 7, 1993).
		Barr, P.J. et al., "Apoptosis and Its Role in Human Disease", <i>Biotechnology (NY)</i> , 12(5):487-493 (May 1994).
		Baum P.R., et al., "Molecular characterization of murine and human OX40/OX40 ligand systems: identification of a human OX40 ligand as the HTLV-1-regulated protein gp34", <i>EMBO J.</i> , 13(17):3992-4001. (September 1, 1994).
		Bodmer, J.L. et al., "TRAMP, a Novel Apoptosis-Mediating Receptor with Sequence Homology to Tumor Necrosis Factor Receptor 1 and Fas(Apo-1/CD95)", <i>Immunity</i> , 6(1):79-88 (January 1997).
		Boldin, M.P. et al., "Involvement of MACH, a Novel MORT1/FADD-Interacting Protease, in Fas/APO-1- and TNF Receptor-Induced Cell Death", <i>Cell</i> , 85(6):803-815 (June 14, 1996).
		Boldin, M.P. et al., "Self-Association of the "Death Domains" of the p55 Tumor Necrosis Factor (TNF) Receptor and Fas/APO1 Prompts Signaling for TNF and Fas/APO1 Effects", <i>J. Biol. Chem.</i> , 270(1):387-391 (January 6, 1995).
		Brockhaus, M. et al., "Identification of Two Types of Tumor Necrosis Factor Receptors on Human Cell Lines by Monoclonal Antibodies", <i>Proc. Natl. Acad. Sci.</i> , 87(8):3127-3131 (April 1990).

EXAMINER

DATE CONSIDERED

6/5/00

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.

Date Mailed: JULY 13, 1999

Sheet 2 of 5

FORM 1449\*

## INFORMATION DISCLOSURE STATEMENT

IN AN APPLICATION

(Use several sheets if necessary)



Docket Number:

11669.26US03

Application Number:

09/195,368

Applicant: ASHKENAZI ET AL.

Filing Date: 11/18/1998

Group Art Unit: 1643

## OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

SM	Brojatsch, J. et al., "CAR1, a TNFR-Related Protein, is a Cellular Receptor for Cytopathic Avian Leukosis-Sarcoma Viruses and Mediates Apoptosis", <i>Cell</i> , 87(5):845-855 (November 29, 1996).
	Browning, J.L. et al., "Lymphotoxin Beta, a Novel Member of the TNF Family That Forms a Heteromeric Complex with Lymphotoxin on the Cell Surface", <i>Cell</i> , 72(6):847-856 (March 26, 1993).
	Chinnaiyan, A.M. et al., "FADD, a Novel Death Domain-Containing Protein, Interacts With the Death Domain of Fas and Initiates Apoptosis", <i>Cell</i> , 81(4):505-512 (May 19, 1995).
	Chinnaiyan, A.M. et al., "FADD/MORT1 is a Common Mediator of CD95 (Fas/APO-1) and Tumor Necrosis Factor Receptor-Induced Apoptosis", <i>J. Biol. Chem.</i> , 271(9):4961-4965 (March 1, 1996).
	Chinnaiyan, A.M. et al., "Interaction of CED-4 With CED-3 and CED-9: A Molecular Framework for Cell Death", <i>Science</i> , 275(5303):1122-1126 (February 21, 1997).
	Chinnaiyan, A.M. et al., "Signal Transduction by DR3, a Death Domain-Containing Receptor Related to TNFR-1 and CD95", <i>Science</i> , 274(5289):990-992 (November 8, 1996).
	Chinnaiyan, A.M. et al., "The Cell-Death Machine", <i>Current Biology</i> , 6(5):555-562 (May 1, 1996).
	Cleveland, J.L. et al., "Contenders in FasL/TNF Death Signaling", <i>Cell</i> , 81(4):479-482 (May 19, 1995).
	Dealtry G.B. et al., "DNA fragmentation and cytotoxicity caused by tumor necrosis factor is enhanced by interferon-gamma", <i>Eur. J. Immunol.</i> , 17(5):689-693 (May, 1987).
	Degli-Esposti M.A., et al., "Cloning and characterization of TRAIL-R3, a novel member of the emerging TRAIL receptor family", <i>J. Exp. Med.</i> , 186(7):1165-1670 (October 6, 1997).
	Eck, M.J. et al., "The Structure of Tumor Necrosis Factor-Alpha at 2.6 A Resolution. Implications for Receptor Binding", <i>J. Biol. Chem.</i> , 264(29):17595-17605 (October 15, 1989).
	Enari, M. et al., "Involvement of an ICE-Like Protease in Fas-Mediated Apoptosis", <i>Nature</i> , 375(6526):78-81 (May 4, 1995).
	Fraser, A. et al., "A License to Kill", <i>Cell</i> , 85(6):781-784 (June 14, 1996).
	Gelb, B.D. et al., "Pycnodysostosis: Refined Linkage and Radiation Hybrid Analyses Reduce the Critical Region to 2 cM at 1q21 and Map Two Candidate Genes", <i>Hum. Genet.</i> , 98(2):141-144 (August 1996).
	Goodwin, R.G. et al., "Molecular Cloning and Expression of the Type 1 and Type 2 Murine Receptors for Tumor Necrosis Factor", <i>Mol. Cell. Biol.</i> , 11(6):3020-3026 (June 1991).
	Gruss, H.J., "Molecular, Structural, and Biological Characteristics of the Tumor Necrosis Factor Ligand Superfamily", <i>J. Clin. Lab. Res.</i> , 26(3):143-159 (1996).
	Gruss, H.J. et al., "Tumor Necrosis Factor Ligand Superfamily: Involvement in the Pathology of Malignant Lymphomas", <i>Blood</i> , 85(12):3378-3404 (June 15, 1995).
	Hale, C.G. et al., "Demonstration of In Vitro and In Vivo Efficacy of Two Biologically Active Human Soluble TNF Receptors Expressed in E. Coli", <i>J. Cell Biochem. (Supplement 15F)</i> , p. 113 (P424) (1991).
	Hohmann, H.P. et al., "Two Different Cell Types Have Different Major Receptors for Human Tumor Necrosis Factor (TNF Alpha)", <i>J. Biol. Chem.</i> , 264(25):14927-14934 (September 5, 1989).
	Hsu, H. et al., "TRADD-TRAF2 and TRADD-FADD Interactions Define Two Distinct TNF Receptor 1 Signal Transduction Pathways", <i>Cell</i> , 84(2):299-308 (January 26, 1996).
	Itoh, N. et al., "The Polypeptide Encoded by the cDNA for Human Cell Surface Antigen Fas Can Mediate Apoptosis", <i>Cell</i> , 66(2):233-243 (July 26, 1991).
	Johnson, D. et al., "Expression and Structure of Human NGF Receptor", <i>Cell</i> , 47(4):545-554 (November 21, 1986).
	Kitson, J. et al., "A Death-Domain-Containing Receptor that Mediates Apoptosis", <i>Nature</i> , 384(6607):372-375 (November 28, 1996).
	Klein, R.D. et al., "Selection for genes encoding secreted proteins and receptors", <i>Proc. Natl. Acad. Sci. U.S.A.</i> , 93(14):7108-7113 (July 9, 1996).

EXAMINER

DATE CONSIDERED

6/6/00

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.

FGRM 1449\*

## INFORMATION DISCLOSURE STATEMENT

## IN AN APPLICATION

(Use several sheets if necessary)



Docket Number:

11669.26US03

Application Number:

09/195,368

Applicant: ASHKENAZI ET AL.

Filing Date: 11/18/1998

Group Art Unit: 1643

## OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)


SM	Kohno, T. et al., "A Second Tumor Necrosis Factor Receptor Gene Product Can Shed a Naturally Occurring Tumor Necrosis Factor Inhibitor", <i>Proc. Natl. Acad. Sci. U.S.A.</i> , 87(21):8331-8335 (November 1990).
	Kozak, M., "An analysis of vertebrate mRNA sequences: intimations of translational control", <i>J. Cell Biol.</i> , 115:887-903 (1991).
	Krammer, P.H. et al., "Regulation of Apoptosis in the Immune System", <i>Curr. Opin. Immunol.</i> , 6(2):279-289 (April 1994).
	Lewis, M. et al., "Cloning and Expression of cDNAs for Two Distinct Murine Tumor Necrosis Factor Receptors Demonstrate One Receptor is Species Specific", <i>Proc. Natl. Acad. Sci. U.S.A.</i> , 88(7):2830-2834 (April 1, 1991).
	Lewit-Bentley A., et al., "Structure of tumour necrosis factor by X-ray solution scattering and preliminary studies by single crystal X-ray diffraction", <i>J. Mol. Biol.</i> , 199(2):389-392 (January 20, 1988).
	Loetscher, H. et al., "Molecular Cloning and Expression of the Human 55 kd Tumor Necrosis Factor Receptor", <i>Cell</i> , 61(2):351-359 (April 20, 1990).
	Mackay, F. et al., "Differential Responses of Fibroblasts from Wild-Type and TNF-R55-Deficient Mice to Mouse and Human TNF-Alpha Activation", <i>J. Immunol.</i> , 153(11):5274-5284 (December 1, 1994).
	MacFarlane M., et al., "Identification and molecular cloning of two novel receptors for the cytotoxic ligand TRAIL", <i>J. Biol. Chem.</i> , 272(41):25417-25420 (October 10, 1997).
	Malinin N.L., et al., "MAP3K-related kinase involved in NF-kappaB induction by TNF, CD95 and IL-1", <i>Nature</i> , 385(6616):540-544 (February 6, 1997).
	Mallet, S. et al., "Characterization of the MRC OX40 Antigen of Activated CD4 Positive T Lymphocytes—A Molecule Related to Nerve Growth Factor Receptor", <i>EMBO J.</i> , 9(4):1063-1068 (April 1990).
	Marsters, S.A. et al., "Activation of Apoptosis by Apo-2 Ligand is Independent of FADD But Blocked by CrmA", <i>Curr. Biol.</i> , 6(6):750-752 (June 1, 1996).
	Marsters, S.A. et al., "Apo-3, a New Member of the Tumor Necrosis Factor Receptor Family, Contains a Death Domain and Activates Apoptosis and NF-kappa B", <i>Curr. Biol.</i> , 6(12):1669-1676 (December 1, 1996).
	Marsters, S.A. et al., "Herpesvirus Entry Mediator, a Member of the Tumor Necrosis Factor Receptor (TNFR) Family, Interacts With Members of the TNFR-Associated Factor Family and Activates the Transcription Factors NF-kappaB and AP-1", <i>J. Biol. Chem.</i> , 272(22):14029-14032 (May 30, 1997).
	Marsters, S.A. et al., "Interferon Gamma Signals via a High-Affinity Multisubunit Receptor Complex that Contains Two Types of Polypeptide Chain", <i>Proc. Natl. Acad. Sci. U.S.A.</i> , 92(12):5401-5405 (June 6, 1995).
	Montgomery, R.I. et al., "Herpes Simplex Virus-1 Entry Into Cells Mediated by a Novel Member of the TNF/NGF Receptor Family", <i>Cell</i> , 87(3):427-436 (November 1, 1996).
	Muzio, M. et al., "FLICE, a Novel FADD-Homologous ICE/CED-3-Like Protease, is Recruited to the CD95 (Fas/APO-1) Death-Inducing Signaling Complex", <i>Cell</i> , 85(6):817-827 (June 14, 1996).
	Nagata, S., "Apoptosis by Death Factor", <i>Cell</i> , 88(3):355-365 (February 7, 1997).
	Nagata, S. et al., "The Fas Death Factor", <i>Science</i> , 267(5203):1449-1456 (March 10, 1995).
	Nophar, Y. et al., "Soluble Forms of Tumor Necrosis Factor Receptors (TNF-Rs). The cDNA for the Type I TNF-R, Cloned Using Amino Acid Sequence Data of its Soluble Form, Encodes Both the Cell Surface and a Soluble Form of the Receptor", <i>EMBO J.</i> , 9(10):3269-3278 (October 1990).
	Nocentini G., et al., "A new member of the tumor necrosis factor/nerve growth factor receptor family inhibits T cell receptor-induced apoptosis", <i>Proc. Natl. Acad. Sci. U.S.A.</i> , 94(12):6216-6221 (June 10, 1997).
	Pan, G. et al., "An Antagonist Decoy Receptor and a Death Domain-Containing Receptor for TRAIL", <i>Science</i> , 277(5327):815-818 (August 8, 1997).
	Pan, G. et al., "The Receptor for the Cytotoxic Ligand TRAIL", <i>Science</i> , 276(5309):1111-1113 (April 4, 1997).
	Peetre, C. et al., "A Tumor Necrosis Factor Binding Protein is Present in Human Biological Fluids", <i>Eur. J. Haematol.</i> , 41(5):414-419 (November 1988).

EXAMINER

DATE CONSIDERED


6/5/00


EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.

FORM 1449* <b>INFORMATION DISCLOSURE STATEMENT</b>  <b>IN AN APPLICATION</b>  (Use several sheets if necessary)		Docket Number: 1669.26US03	Application Number: 09/195,368
		Applicant: ASHKENAZI ET AL.	
		Filing Date: 11/18/1998	Group Art Unit: 1643

**OTHER DOCUMENTS** (Including Author, Title, Date, Pertinent Pages, Etc.)



SW	Pitti, R.M. et al., "Induction of Apoptosis by Apo-2 Ligand, a New Member of the Tumor Necrosis Factor Cytokine Family", <i>J. Biol. Chem.</i> , 271(22):12687-12690 (May 31, 1996).
	Radeke, M.J. et al., "Gene Transfer and Molecular Cloning of the Rat Nerve Growth Factor Receptor", <i>Nature</i> , 325(6105):593-597 (February 12-18, 1987).
	Raff, M.C., "Social Controls on Cell Survival and Cell Death", <i>Nature</i> , 356(6368):397-400 (April 2, 1992).
	Ray, C.A. et al., "Viral Inhibition of Inflammation: Cowpox Virus Encodes an Inhibitor of the Interleukin-1 Beta Converting Enzyme", <i>Cell</i> , 69(4):597-604 (May 15, 1992).
	Ruppert, S. et al., "Cloning and Expression of Human TAFII250: A TBP-Associated Factor Implicated in Cell-Cycle Regulation", <i>Nature</i> , 362(6416):175-179 (March 11, 1993).
	Sachs, L. et al., "Control of Programmed Cell Death in Normal and Leukemic Cells: New Implications for Therapy", <i>Blood</i> , 82(1):15-21 (July 1, 1993).
	Schall, T.J. et al., "Molecular Cloning and Expression of a Receptor for Human Tumor Necrosis Factor", <i>Cell</i> , 61(2):361-370 (April 20, 1990).
	Schmid, D.S. et al., "DNA Fragmentation: Manifestation of Target Cell Destruction Mediated by Cytotoxic T-Cell Lines, Lymphotoxin-Secreting Helper T-Cell Clones, and Cell-Free Lymphotoxin-Containing Supernatant", <i>Proc. Natl. Acad. Sci. U.S.A.</i> , 83(6):1881-1885 (March 1986).
	Seckinger, P. et al., "Purification and Biologic Characterization of a Specific Tumor Necrosis Factor Alpha Inhibitor", <i>J. Biol. Chem.</i> , 264(20):11966-11973 (July 15, 1989).
	Sheridan, J.P. et al., "Control of TRAIL-Induced Apoptosis by a Family of Signaling and Decoy Receptors", <i>Science</i> , 277(5327):818-821 (August 8, 1997).
	Simonet, W.S. et al., "Osteoprotegerin: A Novel Secreted Protein Involved in the Regulation of Bone Density", <i>Cell</i> , 89(2):309-319 (April 18, 1997).
	Smith, C.A. et al., "A Receptor for Tumor Necrosis Factor Defines an Unusual Family of Cellular and Viral Proteins", <i>Science</i> , 248(4958):1019-1023 (May 25, 1990).
	Smith, C.A. et al., "T2 Open Reading Frame from the Shope Fibroma Virus Encodes a Soluble Form of the TNF Receptor", <i>Biochem. Biophys. Res. Commun.</i> , 176(1):335-342 (April 15, 1991).
	Smith D.H., et al., "Blocking of HIV-1 infectivity by a soluble, secreted form of the CD4 antigen", <i>Science</i> , 238(4834):1704-1707 (December 18, 1987).
	Sompayrac, L.M. et al., "Efficient Infection of Monkey Cells with DNA of Simian Virus 40", <i>Proc. Natl. Acad. Sci. U.S.A.</i> , 78(12):7575-7578 (December 1981).
	Stamenkovic, I. et al., "A B-Lymphocyte Activation Molecule Related to the Nerve Growth Factor Receptor and Induced by Cytokines in Carcinomas", <i>EMBO J.</i> , 8(5):1403-1410 (May 1989).
	Steller, H., "Mechanisms and Genes of Cellular Suicide", <i>Science</i> , 267(5203):1445-1449 (March 10, 1995).
	Takahashi T., et al., "Human Fas ligand: gene structure, chromosomal location and species specificity", <i>Int. Immunol.</i> , 6(10):1567-1574 (October 1994).
	Takao, S. et al., "Novel DNA Polymorphism in the Mouse Tumor Necrosis Factor Receptors Type 1 and Type 2", <i>Immunogenetics</i> , 37(3):199-203 (1993).
	Tartaglia, L.A. et al., "A Novel Domain Within the 55 kd TNF Receptor Signals Cell Death", <i>Cell</i> , 74(5):845-853 (September 10, 1993).
	Tewari, M. et al., "Fas- and Tumor Necrosis Factor-Induced Apoptosis is Inhibited by the Poxvirus crmA Gene Product", <i>J. Biol. Chem.</i> , 270(7):3255-3260 (Feb. 17, 1995).
	Tewari, M. et al., "Recent Advances in Tumor Necrosis Factor and CD40 Signaling", <i>Curr. Opin. Genet. Dev.</i> , 6(1):39-44 (February 1996).
	Tewari, M. et al., "Yama/CPP32 Beta, a Mammalian Homolog of CED-3, is a CrmA-Inhibitible Protease that Cleaves the Death Substrate Poly(ADP-Ribose) Polymerase", <i>Cell</i> , 81(5):801-809 (June 2, 1995).

EXAMINER 	DATE CONSIDERED 6/5/00
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.	

<b>FORM 1449*</b> <b>INFORMATION DISCLOSURE STATEMENT</b>  <b>IN AN APPLICATION</b> (Use several sheets if necessary)		Docket Number:	Application Number:
		11669.26US03	09/195,368
		Applicant: ASHKENAZI ET AL.	
		Filing Date: 11/18/1998	Group Art Unit: 1643

## OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

SUM		Thimmappaya, B. et al., "Adenovirus VAI RNA is Required for Efficient Translation of Viral mRNAs at Late Times After Infection", <i>Cell</i> , 31(3 Pt 2):543-551 (December 1982).
		Thompson, C.B., "Apoptosis in the Pathogenesis and Treatment of Disease", <i>Science</i> , 267(5203):1456-1462 (March 10, 1995).
		Upton, C. et al., "Myxoma Virus Expresses a Secreted Protein with Homology to the Tumor Necrosis Factor Receptor Gene Family that Contributes to Viral Virulence", <i>Virology</i> , 184(1):370-382 (September 1991).
		Upton, C. et al., "Tumorigenic Poxviruses: Genomic Organization and DNA Sequence of the Telomeric Region of the Shope Fibroma Virus Genome", <i>Virology</i> , 160(1):20-30 (September 1987).
		Verma, I.M. et al., "Rel/NF-Kappa B/I Kappa B Family: Intimate Tales of Association and Dissociation", <i>Genes Dev.</i> , 9(22):2723-2735 (November 15, 1995).
		Von Bulow G.U., "NF-AT activation induced by a CAML-interacting member of the tumor necrosis factor receptor superfamily", <i>Science</i> , 278(5335):138-141 (October 3, 1997).
		Walczak H., et al., "TRAIL-R2: a novel apoptosis-mediating receptor for TRAIL", <i>EMBO J.</i> , 16(17):5386-5397 (September 1, 1997).
		Wang et al., "Ich-1, an Ice/ced-3-Related Gene, Encodes Both Positive and Negative Regulators of Programmed Cell Death", <i>Cell</i> , 78:739-750 (September 9, 1994).
		Watanabe-Fukunaga, R. et al., "Lymphoproliferation Disorder in Mice Explained by Defects in Fas Antigen that Mediates Apoptosis", <i>Nature</i> , 356(6367):314-317 (March 26, 1992).
		Welcher, A.A. et al., "Nerve Growth Factor Binding Domain of the Nerve Growth Factor Receptor", <i>Proc. Natl. Acad. Sci. U.S.A.</i> , 88(1):159-163 (January 1, 1991).
		Wiley, S.R. et al., "Identification and Characterization of a New Member of the TNF Family that Induces Apoptosis", <i>Immunity</i> , 3(6):673-682 (December 1995).
		Wong B.R., et al., "TRANSE is a novel ligand of the tumor necrosis factor receptor family that activates c-Jun N-terminal kinase in T cells", <i>J. Biol. Chem.</i> , 272(40):25190-25194 (October 3, 1997).
		Yan, H. et al., "Disruption of Cysteine-Rich Repeats of the p75 Nerve Growth Factor Receptor Leads to Loss of Ligand Binding", <i>J. Biol. Chem.</i> , 266(18):12099-12104 (June 25, 1991).
		Yang R.B., et al., "Toll-like receptor-2 mediates lipopolysaccharide-induced cellular signaling", <i>Nature</i> , 395(6699):284-288 (September 17, 1998).
		Yonehara, S. et al., "A Cell-Killing Monoclonal Antibody (Anti-Fas) to a Cell Surface Antigen Co-Downregulated with the Receptor of Tumor Necrosis Factor", <i>J. Exp. Med.</i> , 169(5):1747-1756 (May 1, 1989).
		Zheng, L. et al., "Induction of Apoptosis in Mature T Cells by Tumour Necrosis Factor", <i>Nature</i> , 377(6547):348-351 (September 28, 1995).

EXAMINER 	DATE CONSIDERED 
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.	